Neutrinos: Exploring Origin of Matter and Universe

Hi, my name is Teppei, I am a particle physicist
- Born and raised in Japan
- PhD in USA
- Lecturer in UK

Teppei Katori (@teppeikatori)
King's College London
Maxwell Lexture, Nov. 15, 2022

MicroBooNE PMT test stand
(photo by Reidar Hahn, Fermilab)

Particle Shrine

Explore the exhibition Testing Ground at Science Gallery London and experience the transformation of invisible particles into a audio-visual experience like no other.

Exhibition: Testing Ground
Science Gallery London
Great Maze Pond, SE1 9GU

10.30am - 5.30pm
Tues - Sat until Jan 2023
Free entry

SCIENCE GALLERY

KING'S College LONDON

Ableton

Where is Physics? Everywhere!

Physics is the subject to study the laws of Nature
- Every phenomenon in Nature is subject to the laws of physics









KING'S College LONDON

Where is Physics? Everywhere!

Physics is the subject to study the laws of Nature
- Every phenomenon in Nature is subject to the laws of physics

Connections of logic allow reaching to more intangible knowledge

Particle physics
Subject to study structure of matter and force in terms of elementary particles

This is the subject to reach the highest (most non-intuitive) knowledge by adding logics of ladders

Particle Physics

Subject to study structure of matter and force in terms of elementary particles
- matter → particles
- force → particles

Particle Physics

Subject to study structure of matter and force in terms of elementary particles

- matter → particles
- force → particles



Particle Physics

Subject to study structure of matter and force in terms of elementary particles
- matter → particles
- force → particles

old view (Maxwell)

proton electron



electromagnetic field

modern view (Yukawa)

proton electron



photon



The Standard Model, Elementary Particles of the Universe

- 6 Quarks
  - Up-quarks and Down-quarks make matter
- 6 Leptons
  - 3 Charged Leptons (electron is here)
  - 3 Neutrinos
- 3 Force carries (gauge bosons)
  - Gluon (Strong nuclear force, ~1)
  - Photon (light, ~0.01)
  - Weak bosons (Weak nuclear force, ~10^{-7})
  - Gravity is missing from this picture (~10^{-38})
- The Higgs boson
  - Higgs boson gives masses to other particles
  - Discovered in 2012



KING'S College LONDON

The Standard Model, Elementary Particles of the Universe

- 6 Quarks
  - Up-quarks and Down-quarks make matter

- 6 Leptons
  - 3 Charged Leptons (electron is here)
  - 3 Neutrinos

- 3 Force carries (gauge bosons)
  - Gluon (Strong nuclear force, ~1)
  - Photon (light, ~0.01)
  - Weak bosons (Weak nuclear force, $\sim 10^{-7}$)
  - Gravity is missing from this picture ($\sim 10^{-38}$)

- The Higgs boson
  - Higgs boson gives masses to other particles
  - Discovered in 2012



KING'S College LONDON

The Standard Model, Elementary Particles of the Universe

- 6 Quarks
  - Up-quarks and Down-quarks make matter

- 6 Leptons
  - 3 Charged Leptons (electron is here)
  - 3 Neutrinos

today's talk

- 3 Force carries (gauge bosons)
  - Gluon (Strong nuclear force, ~1)
  - Photon (light, ~0.01)
  - Weak bosons (Weak nuclear force, ~10^{-7})
  - Gravity is missing from this picture (~10^{-38})

- The Higgs boson
  - Higgs boson gives masses to other particles
  - Discovered in 2012



Electron neutrino
Muon neutrino
Tau neutrino

KING'S College LONDON

The Standard Model, Elementary Particles of the Universe

- 6 Quarks
  - Up-quarks and Down-quarks make matter

- 6 Leptons
  - 3 Charged Leptons (electron is here)
  - 3 Neutrinos

- 3 Force carries (gauge bosons)
  - Gluon (Strong nuclear force, ~1)
  - Photon (light, ~0.01)
  - Weak bosons (Weak nuclear force, ~10^{-7})
  - Gravity is missing from this picture (~10^{-38})

- The Higgs boson
  - Higgs boson gives masses to other particles
  - Discovered in 2012



KING'S College LONDON

The Standard Model,
Elementary Particles of the Universe

- 6 Quarks
  - Up-quarks and Down-quarks make matter

- 6 Leptons
  - 3 Charged Leptons (electron is here)
  - 3 Neutrinos

- 3 Force carries (gauge bosons)
  - Gluon (Strong nuclear force, ~1)
  - Photon (light, ~0.01)
  - Weak bosons (Weak nuclear force, ~10^{-7})
  - Gravity is missing from this picture (~10^{-38})

- The Higgs boson
  - Higgs boson gives masses to other particles
  - Discovered in 2012





KING'S College LONDON

The Standard Model, Elementary Particles of the Universe

- 6 Quarks
  - Up-quarks and Down-quarks make matter

- 6 Leptons
  - 3 Charged Leptons (electron is here)
  - 3 Neutrinos

- 3 Force carries (gauge bosons)
  - Gluon (Strong nuclear force, ~1)
  - Photon (light, ~0.01)
  - Weak bosons (Weak nuclear force, ~10^{-7})
  - Gravity is missing from this picture (~10^{-38})

- The Higgs boson
  - Higgs boson gives masses to other particles
  - Discovered in 2012



Neutrinos, Ghost particles

3 types of neutrinos
- Extremely difficult to stop neutrinos

- Quarks exchange
  - Gluons, or
  - Photons, or
  - Weak bosons

- Charged leptons exchange
  - Photons, or
  - Weak bosons

- Neutrinos exchange
  - Weak bosons



Electron neutrino
Muon neutrino
Tau neutrino

KING'S College LONDON

Neutrinos, Ghost particles

3 types of neutrinos
- Extremely difficult to stop neutrinos

Example: how to stop particles?
- Alpha particle (nuclei of Helium) → sheet of paper
- Beta particle (electron) → sheet of copper
- Gamma particle (photon) → chunk of lead
- Neutrino…?



Neutrinos, Ghost particles

3 types of neutrinos
- Extremely difficult to stop neutrinos

Example: how to stop particles?
- Alpha particle (nuclei of Helium) → sheet of paper
- Beta particle (electron) → sheet of copper
- Gamma particle (photon) → chunk of lead
- Neutrino → 1 light year thickness of lead



You have to wait long time with big detector to see a rare neutrino which stops (=interacts)



Neutrinos, Ghost particles

3 types of neutrinos
- Extremely difficult to stop neutrinos

Neutrinos are everywhere, but they penetrate everything without leaving any traces.

Solar neutrinos
- 60 billion electron neutrinos from the Sun pass through every $1cm^2$ of the Earth every second. However, you have only a 25% chance for a neutrino to interact with your body in your lifetime

Big bang neutrinos
- Every place in the Universe has ~300 neutrinos/cm^3 made by the Big Bang
  Neutrinos are the second most abundant particle in the universe (photons~410/cm^3)

Neutrinos, Ghost particles

3 types of neutrinos
- Extremely difficult to stop neutrinos
- Extremely small mass

Tiny mass of weakly interacting neutrino cannot be measured by traditional methods, it can be measured only by neutrino oscillation, with a help of quantum mechanics



Neutrino Oscillations

Neutrinos obey quantum mechanics
- Neutrino is a particle, and a wave (wave-particle duality)

Plane wave looks like a wave



Wave packet looks like a particle



Neutrino Oscillations

Neutrinos obey quantum mechanics
- Neutrino is a particle, and a wave (wave-particle duality)
- State of neutrinos are not well-defined in space and time (Schrödinger's cat)

Schrödinger's cat
- There is a cat, a poison release device, and a radioactive material in the box. There is a 50% chance a nucleus in this radioactive material decays within a certain time, then this triggers the device to release the poison to kill the cat.

Quantum mechanically,

$$|Atom\rangle = |Decay\rangle + |Not\ decay\rangle$$

But in reality,

$$|Cat\rangle = |Dead\rangle + |Alive\rangle$$

But a cat cannot be Dead AND Alive!

KING'S College LONDON

Neutrino Oscillations

Neutrinos obey quantum mechanics
- Neutrino is a particle, and a wave (wave-particle duality)
- State of neutrinos are not well-defined in space and time (Schrödinger's cat)

Schrödinger's cat
- There is a cat, a poison release device, and a radioactive material in the box. There is a 50% chance a nucleus in this radioactive material decays within a certain time, then this triggers the device to release the poison to kill the cat.

Quantum mechanically,

$$|Atom\rangle = |Decay\rangle + |Not\ decay\rangle$$

But in reality,

$$|Cat\rangle = |Dead\rangle + |Alive\rangle$$

But a cat cannot be Dead AND Alive!

The state of neutrino

$$|\nu_\mu\rangle = |\nu_1\rangle + |\nu_2\rangle$$

Neutrino we observe

Neutrinos which propagate in space

Neutrino flavor eigenstate is not simultaneous eigenstate with Hamiltonian eigenstate

KING'S College LONDON

Neutrino Oscillations

Neutrinos obey quantum mechanics
- Neutrino is a particle, and a wave (wave-particle duality)
- State of neutrinos are not well-defined in space and time (Schrödinger's cat)
- Type of neutrino is not conserved with time
- If so, neutrinos have masses

Creation → Propagation → Propagation → Propagation… → Detection

Neutrino Oscillations

Neutrinos obey quantum mechanics
- Neutrino is a particle, and a wave (wave-particle duality)
- State of neutrinos are not well-defined in space and time (Schrödinger's cat)
- Type of neutrino is not conserved with time
- If so, neutrinos have masses

muon neutrino
electron neutrino

neutrino 1
neutrino 2

muon neutrino
electron neutrino

Creation → Propagation → Propagation → Propagation… → Detection

Neutrino Oscillations

Neutrinos obey quantum mechanics
- Neutrino is a particle, and a wave (wave-particle duality)
- State of neutrinos are not well-defined in space and time (Schrödinger's cat)
- Type of neutrino is not conserved with time
- If so, neutrinos have masses



muon neutrino
electron neutrino

neutrino 1
neutrino 2

muon neutrino
electron neutrino

Creation → Propagation → Propagation → Propagation… → Detection

Neutrino Oscillations

Neutrinos obey quantum mechanics
- Neutrino is a particle, and a wave (wave-particle duality)
- State of neutrinos are not well-defined in space and time (Schrödinger's cat)
- Type of neutrino is not conserved with time
- If so, neutrinos have masses



Neutrino Oscillations

Neutrinos obey quantum mechanics
- Neutrino is a particle, and a wave (wave-particle duality)
- State of neutrinos are not well-defined in space and time (Schrödinger's cat)
- Type of neutrino is not conserved with time
- If so, neutrinos have masses

KING'S College LONDON

Neutrino Oscillations

Neutrinos obey quantum mechanics
- Neutrino is a particle, and a wave (wave-particle duality)
- State of neutrinos are not well-defined in space and time (Schrödinger's cat)
- Type of neutrino is not conserved with time
- If so, neutrinos have masses

Neutrino Oscillations

Neutrinos obey quantum mechanics
- Neutrino is a particle, and a wave (wave-particle duality)
- State of neutrinos are not well-defined in space and time (Schrödinger's cat)
- Type of neutrino is not conserved with time
- If so, neutrinos have masses



muon neutrino
electron neutrino

neutrino 1
neutrino 2

muon neutrino
electron neutrino

Creation → Propagation → Propagation → Propagation… → Detection

cat 1



cat 2



Neutrino Oscillations

Neutrinos obey quantum mechanics
- Neutrino is a particle, and a wave (wave-particle duality)
- State of neutrinos are not well-defined in space and time (Schrödinger's cat)
- Type of neutrino is not conserved with time
- If so, neutrinos have masses

muon neutrino
electron neutrino

neutrino 1
neutrino 2

muon neutrino
electron neutrino

Creation → Propagation → Propagation → Propagation… → Detection


Super-Kamiokande detector
T2K
T2K (Tokai to Kamioka) experiment
295km
Neutrino beam
- J-PARC accelerator produces tons of neutrinos, and 50 billions of neutrino pass through nearby detector every second
- These neutrinos are observed at Super-Kamiokande detector, located 295km away
J-PARC
Super-K
Nagoya
Nagano
Niigata
Maebashi
Hachioji
Saitama
Kanagawa
Tokyo
Yokohama
Kawasaki
Funabashi
Chiba
Mito
Honshu
E139°
E141°
© 2007 Europa Technologies
Image © 2007 TerraMetrics
© 2007 ZENRIN

Beach
(not very nice)

Neutrino
production target

Neutrino beam (295km)

Neutrino monitor
detectors

proton acceleration



T2K experiment


to Kamioka
(295km)
ring
beam
dump
Super-Kamiokande
Mt.Noguchi-Goro Dake
2,924m
Mt.Ikenoyama
1,360m
J-PARC
Near Detector
sea level
1,000m
Neutrino Beam
295km
T2K experiment

40m height, 40m wide, 50k ton of pure water to observe neutrinos

Super-Kamiokande detector



Super-Kamiokande detector

obel Prize in Physics 2015

aki Kajita, Arthur B. McDonald

Share this: 1.6K

The Nobel Prize in Physics 2015

Photo © Takaaki Kajita

Takaaki Kajita

Prize share: 1/2

Photo: K. McFarlane. Queen's University /SNOLAB

Arthur B. McDonald

Prize share: 1/2

The Nobel Prize in Physics 2015 was awarded jointly to Takaaki Kajita and Arthur B. McDonald *"for the discovery of neutrino oscillations, which shows that neutrinos have mass"*

40m

KING'S College LONDON

Super-Kamiokande detector

obel Prize in Physics 2015

aki Kajita, Arthur B. McDonald

Share this: 1.6K

The Nobel Prize in Physics 2015

Photo © Takaaki Kajita

Takaaki Kajita

Prize share: 1/2

Photo: K. McFarlane. Queen's University /SNOLAB

Arthur B. McDonald

Prize share: 1/2

The Nobel P

Kajita and A

oscillations,

BREAKTHROUGH PRIZE

The Nobel Prize in Physics 1988

Leon M. Lederman

Prize share: 1/3

Melvin Schwartz

Prize share: 1/3

Jack Steinberger

Prize share: 1/3

The Nobel Prize in Physics 1995

© University of California Regents

Frederick Reines

Prize share: 1/2

The Nobel Prize in Physics 2002

Raymond Davis Jr.

Prize share: 1/4

Masatoshi Koshiba

Prize share: 1/4

Kamiokande detector

Koichiro Nishikawa and the K2K and T2K Collaboration

Atsuto Suzuki and the KamLAND Collaboration

Kam-Biu Luk and the Daya Bay Collaboration

Yoichiro Suzuki and the Super K Collaboration

Yifang Wang and the Daya Bay Collaboration

KING'S College LONDON

Super-Kamiokande detector

40m height, 40m wide, 50k ton of pure water to observe neutrinos

Neutrinos interact with water molecules, and produce charged particles





KING'S College LONDON

Cherenkov radiation

Speed of light is slower in media (=water), so high-energy charged particles could move faster than light

Particles emit sonic boom of light, Cherenkov radiations, to slow down in media.

The emission has characteristic cone shape (peak in blue spectrum in water)





Blue light in nuclear reactors are Cherenkov radiations from electrons

Super-Kamiokande detector

40m height, 40m wide, 50k ton of pure water to observe neutrinos

Neutrinos interact with water molecules, and produce charged particles

Charged particles produce Cherenkov radiations

11,000 of photo-multiplier tubes (PMTs) covered on the wall detect Cherenkov photons from Cherenkov radiation



KING'S College LONDON

Photo-multiplier tubes (PMTs)

Charged particles make only several photons

Number of photons

10^{0} 10^{4} 10^{6} 10^{8} 10^{10} 10^{12} 10^{14} 10^{16} 10^{18} (/cm^2)

10^{-10} 10^{-8} 10^{-6} 10^{-4} 10^{-2} 10^{0} 10^{2} 10^{4} 10^{6} (Lux)

Cherenkov radiation from 1 charged lepton




New moon


Full moon


Cloudy London


Desk lamp


Sunny Brighton

KING'S College LONDON

Photo-multiplier tubes (PMTs)

Charged particles make only several photons

Photo-multiplier tube converts photons to electrons by photo-electric effect

High-voltage accelerates electrons to collide on metallic place to release more electrons. This process repeats, and produce ~10^7 electrons from a photon, and strong electric pulse is produced and observed



Electric pulse (signal)

KING'S College LONDON

Particle Physicists = Jack of all trades

Charged particles make only several photons

Photo-multiplier tube converts photons to electrons by photo-electric effect

High-voltage accelerates electrons to collide on metallic place to release more electrons. This process repeats, and produce ~10^7 electrons from a photon, and strong electric pulse is produced and observed

Particle physics

Photo-electric effect

Material science

Signal transmission
Analog signal circuit

Quantum mechanics

Electromagnetism

Digital circuit
Data processing







Scientific writing
Editing
Graphic

Simulation
Programming
Statistical analysis

KING'S College LONDON

Super-Kamiokande detector

40m height, 40m wide, 50k ton of pure water to observe neutrinos

Neutrinos interact with water molecules, and produce charged particles

Charged particles produce Cherenkov radiations

11,000 of photo-multiplier tubes (PMTs) covered on the wall detect Cherenkov photons from Cherenkov radiation



KING'S College LONDON



Super-Kamiokande detector

Kamioka (神岡),
Gifu prefecture (岐阜県),
Japan

Deep mountain area, and the detector is located in a former mine in the Ikenoyama mountain (池ノ山), roughly 1km from the mountain top



KING'S College LONDON

Super-Kamiokande detector

Maintenance work (Sept. 2022)

KING'S College LONDON

Super-Kamiokande detector refurbishment 2018





New type of neutrino oscillation is observed!

T2K experiment measured electron neutrinos from muon neutrino beam ($\nu_\mu \rightarrow \nu_e$)
T2K also measured electron anti-neutrino from muon anti-neutrino beam ($\bar{\nu}_\mu \rightarrow \bar{\nu}_e$)

Furthermore, these 2 neutrino oscillations look slightly different (later)



T2K experiment

Confirmation of these results need more data...

KING'S College LONDON

Hyper-Kamiokande detector

We are building a new 230 kton water tank
- More data to investigate the origin of matter and space-time
- It detects neutrinos from the Sun, atmosphere, supernova, etc



KING'S College LONDON

Hyper-Kamiokande detector

We are building a new 230 kton water tank
- More data to investigate the origin of matter and space-time
- It detects neutrinos from the Sun, atmosphere, supernova, etc

Collaboration meeting (Jan. 2020)

Kamiokande (2002 Nobel prize)
Super-Kamiokande (2015 Nobel prize)
Hyper-Kamiokande..???

We are moving to a new endeavor, new discovery, and new excitement!
(and more Nobel prize!)

KING'S College LONDON

Hyper-Kamiokande detector

We are building a new 230 kt tank
- More data to investigate th matter and space
- detects s from the mosphere, supernova,

laboration meeting (Jan. 2020)

Kamiokande (2002 Nobel prize)
Super-Kamiokande (2015 Nobel prize)
Hyper-Kamiokande..???

KING'S College LONDON

We are moving to a new endeavor, new discovery, and new excitement!
(and more Nobel prize!)

Big questions neutrinos may answer

Neutrinos may answer big questions...

- Origin of matter
- Grand Unification
- Quantum Gravity

Neutrinos and Origin of Matter

All matter was created by the energy of the Big Bang, and equal amount of matter and anti-matter were created.



KING'S College LONDON

Neutrinos and Origin of Matter

All matter was created by the energy of the Big Bang, and equal amount of matter and anti-matter were created.

But there is not anti-matter in the universe…, where are they?
In fact, slightly more matter was created than anti-matter…, Why? and how?



KING'S College LONDON

Neutrinos and Origin of Matter

All matter was created by the energy of the Big Bang, and equal amount of matter and anti-matter were created.

But there is not anti-matter in the universe…, where are they?
In fact, slightly more matter was created than anti-matter…, Why? and how?

Theorists speculate the difference of neutrino oscillations and anti-neutrino oscillations may be the key to understanding the matter-antimatter asymmetry of the universe

Recently, T2K experiment first time found an indication that these 2 oscillations are slightly different. Confirmation need more data.

KING'S College LONDON

Neutrinos may be the origin of all matter in the universe (matter-antimatter asymmetry)

Neutrinos and Grand Unification Theory

- Neutrino masses are not predicted by the Standard Model
- Extremely small neutrino masses are related with Grand Unification Theory?

$$M(\text{neutrino}) \sim \frac{(\text{Energy scale of Standard Model})^2}{(\text{Energy scale of Grand unification})}$$



KING'S College LONDON

Neutrinos may be related to unification of three forces (electromagnetic force, weak nuclear force, strong nuclear force) in Standard Model

Neutrinos and Quantum Gravity

Neutrinos from distance galaxies propagate long distance without interactions
This feature is useful to test Einstein's space-time theory (Special Relativity)
- Do we have greater space-time theory such as quantum gravity?
- Einstein may be wrong? Hawking may be happier?



KING'S College LONDON

Using neutrinos, we experimentally investigate Theory of Everything (quantum gravity)

Neutrinos and Quantum Gravity

VICE Watch Newsletters Save Yourselves Music Life World News Drugs

MOTHERBOARD
TECH BY VICE

Scientists Looked for a 'New Space-Time Structure' Deep Under the South Pole. This Is What They Found

The IceCube Neutrino Observatory under the South Pole probes space-time using "ghost particles," and scientists have just published a study on their work.

By Becky Ferreira

24 October 2022, 4:18pm Share Tweet Snap



ICECUBE NEUTRINO OBSERVATORY About Us Science Collaboration

IceCube probes for quantum gravity using astrophysical neutrino flavors

Posted on October 24, 2022 by Alisa King-Klemperer

KING'S College LONDON

News Centre

News | Spotlight on Impact

25 October 2022

Searching for quantum gravity from under the ice

Dr Teppei Katori working with the IceCube Neutrino Observatory

MORE LIKE THIS

Tech



nature physics

Explore content About the journal Publish with us

nature > nature physics > news & views > article

News & Views | Published: 24 October 2022

Neutrino physics

Lorentz invariance beyond the Planck scale

Giulia Gubitosi

Nature Physics (2022) | Cite this article

KING'S College LONDON

Using neutrinos, we experimentally investigate Theory of Everything (quantum gravity)

Neutrino projects, all over the world!

There are neutrino experiments in Belgium, Canada, China, France, Germany, India, Italy, Japan, Korea, Russia, Spain, UK, USA etc, even at the South Pole! Sometimes we compete, but mostly we are good friends!

KING'S College LONDON

Neutrino projects, all over the world!

There are neutrino experiments in Belgium, Canada, China, France, Germany, India, Italy, Japan, Korea, Russia, Spain, UK, USA etc, even at the South Pole!
Sometimes we compete, but mostly we are good friends!

April 2022, USA

Oct. 2022, Korea

Sep. 2022, Japan



May. 2022, CERN

Fuck pandemic

KING'S College LONDON



End

Neutrinos are ghostly elementary particles, penetrating everything

Neutrinos change species when they propagate. This is called neutrino oscillation, and this is due to small neutrino masses.

Neutrinos may be related to the origin of matter: matter-antimatter asymmetry.

Neutrinos can look for a tiny new space-time effect (violation of Lorenz symmetry)

Research of neutrinos is a new field, and all excitement continues to the future!


Back up

Neutrino applications

EUROPHYSICS LETTERS

Europhys. Lett., **60** (1), pp. 34–39 (2002)

Paper Number: IAEA-CN-184/27

Reactor Neutrino Detection for Non Proliferation with the NUCIFER Experiment

Th. Lasserre, V.M. Bui, M. Cribier, A. Cucoanes, M. Fallot, M. Fechner, J. Gaffiot, L. Giot, R. Granelli, A. Letourneau, D. Lhuillier, J. Martino, G. Mention, D. Motta, Th.A. Mueller, A. Porta, R. Queval, J. L. Sida, C. Varignon, F. Yermia

Could one find petroleum using neutrino oscillations in matter?

T. Ohlsson(*) and W. Winter(**)

Institut für Theoretische Physik, Physik-Department, Technische Universität München James-Franck-Straße, 85748 Garching bei München, Germany



Modern Physics Letters A
Vol. 27, No. 12 (2012) 1250077 (10 pages)

DOI: 10.1142/S0217732312500770

World Scientific
www.worldscientific.com

Letters B 671 (2009) 15–19

ts available at ScienceDirect

sics Letters B

www.elsevier.com/locate/physletb

DEMONSTRATION OF COMMUNICATION USING NEUTRINOS

ELSEVIER

Submarine neutrino communication

Patrick Huber

Department of Physics, Virginia Tech, Blacksburg, VA 24061, USA

Galactic neutrino communication

John G. Learned [a], Sandip Pakvasa [a,*], A. Zee [b]

[a] *Department of Physics and Astronomy, University of Hawaii, 2505 Correa Road, Honolulu, HI 96822, USA*
[b] *Kavli Institute for Theoretical Physics, University of California, Santa Barbara, CA 93106, USA*

King's College LONDON

Neutrinos from eV to PeV



KING'S College LONDON

Neutrino Astronomy

Direct messengers from the furthest celestial objects
- Neutrinos are neutral and interact only with weak force

Multi-messenger astronomy
- simultaneous observation of photons, gravitational waves, and neutrinos



Neutrino flux